




		SHEET	REV	
BASE STRUCTURE		1 of 2		
DESCRIPTION		UNIT		
		1 OF	1	
DATE QUOTE #		MATERIAL		
		ALUMINU	JM	
CUSTOMER				
PROJECT				
		1		
DRAFTER E	STIMATOR]		
COMPON	IENTS			
NOTES				
/				
1. Conceptual Rendering: It is the to ensure design accuracy ar				
2. Unless specified otherwise, st	tandard	assembly		
hardware is included. Groun hardware must be supplied.				
discuss with your Estimator.	•			
3. Custom structures are design engineered connections. If a				
required, request pricing fro	m your E	stimator. Des		
modifications/price changes	may be	required upo	on	
review by engineer. 4. Materials may require modification at installation.				
LEGEND		BEL		
LEGEND				
	\sim	LICE		
	Ś SP		DE	
	S SP	LICE PEARANCE GRAI	DE	
	S SP A AP	LICE PEARANCE GRAI JE LOCTITE	DE	
	S SP A AP	LICE PEARANCE GRAI	DE	
	S SP A AP	LICE PEARANCE GRAI JE LOCTITE	DE	
	S SP A AP	LICE PEARANCE GRAI JE LOCTITE	DE	
	S SP AP U BLI	LICE PEARANCE GRAI JE LOCTITE	DE	
	 S SP ▲ AP ↓ BLI ↓ TEJ 	LICE PEARANCE GRAU JE LOCTITE AM LIFT		


CANOPY LAYOUT



		SHEET	REV		
DESCRIPTION					
		1 OF	1		
DATE QUOTE #					
		ALUMING	J/W		
PROJECT					
DRAFTER	STIMATOR	: [
COMPON	IENTS				
NOTES 1. Conceptual Rendering: It is the customer's responsibility to ensure design accuracy and compatibility with site. 2. Unless specified otherwise, standard assembly hardware is included. Ground and wall attachment hardware must be supplied. For specific requirements, discuss with your Estimator. 3. Custom structures are designed using standard engineered connections. If a stamped plan set is required, request pricing from your Estimator. Design modifications/price changes may be required upon review by engineer. 4. Materials may require modification at installation.					
LEGEND	(L) LA	BEL			
	\sim	LICE			
	\sim	PEARANCE GRAD	DE		
	~	JE LOCTITE			
	~	AM LIFT			
INFINITY CANOPY		422-6679 NITYCANOPY	.сом		









	RIPTION			UNIT	
				10	F 1
DATE]	QUOTE #		ALUMI	
CUSTO	OMER			ALOM	140//
PROJE	CT				
	1				
DRAFT	ER	E	STIMATC	R	
		COMPON	IENTS		
QTY		MATERIAL		COLOR	
3	BEAM	ALUMINUM			
2	POST	ALUMINUM	-		
	 nceptual Rend				
. Co to d 2. Unl	/	accuracy ar otherwise, st	nd comp tandara	patibility wi d assembly	th site.
to o to o 2. Unl har har	nceptual Rend ensure design less specified rdware is inclu rdware must b	accuracy ar otherwise, st uded. Groun be supplied.	nd comp tandard d and y	oatibility wi d assembly wall attachr	th site. nent
to o to o 2. Unl har har dise	nceptual Rend ensure design less specified dware is inclu dware must b cuss with your	accuracy ar otherwise, st uded. Groun be supplied. Estimator.	nd comp tandard d and For spe	batibility wi d assembly wall attachr ecific require	th site. nent
to o to o 2. Unl har diso 3. Cus	nceptual Rend ensure design less specified dware is inclu rdware must b cuss with your stom structures gineered conn	accuracy ar otherwise, st uded. Groun be supplied. Estimator. s are design ections. If a	nd comp tandard d and For spe ed using stampe	patibility wi d assembly wall attachr crific require g standard d plan set i	th site. nent ements s
1. Col to e 2. Unl har dise 3. Cus enç rec	nceptual Rend ensure design less specified dware is inclu dware must b cuss with your stom structures gineered conn quired, reques	accuracy ar otherwise, st uded. Groun be supplied. Estimator. s are design ections. If a t pricing fro	nd comp tandard d and For spe ed using stampe m your	patibility wi d assembly wall attachr crific require g standard d plan set i Estimator. E	th site. nent ements s Design
. Col to c 2. Unl har dis 3. Cus enc rec mo	nceptual Renc ensure design less specified dware is inclu dware must b cuss with your stom structures gineered conn quired, reques difications/pr	accuracy ar otherwise, st uded. Groun be supplied. Estimator. are design ections. If a t pricing fro ice changes	nd comp tandard d and For spe ed using stampe m your	patibility wi d assembly wall attachr crific require g standard d plan set i Estimator. E	th site. nent ements s Design
. Col to e 2. Unl har dise 3. Cus eng rec mo rev	nceptual Rend ensure design less specified dware is inclu dware must b cuss with your stom structures gineered conn quired, reques	accuracy ar otherwise, st uded. Groun be supplied. Estimator. s are design ections. If a t pricing fro ice changes eer.	nd comp andard d and For spe ed using stampe m your may bo	patibility wi d assembly wall attach cific require g standard d plan set i Estimator. E e required o	th site. nent ements 's Design upon
. Col to e 2. Unl har dise 3. Cus eng rec mo rev	nceptual Renc ensure design less specified dware is inclu dware must b cuss with your stom structures gineered conn quired, reques difications/pr view by engine	accuracy ar otherwise, st uded. Groun be supplied. Estimator. s are design ections. If a t pricing fro ice changes eer.	nd comp andard d and For spe ed using stampe m your may bo	patibility wi d assembly wall attach cific require g standard d plan set i Estimator. E e required o	th site. nent ements 's Design upon
. Col to e 2. Unl har dise 3. Cus eng rec mo rev	nceptual Renc ensure design less specified dware is inclu dware must b cuss with your stom structures gineered conn quired, reques difications/pr view by engine	accuracy ar otherwise, st uded. Groun be supplied. Estimator. s are design ections. If a t pricing fro ice changes eer.	nd comp andard d and For spe ed using stampe m your may bo	patibility wi d assembly wall attach cific require g standard d plan set i Estimator. E e required o	th site. nent ements 's Design upon
. Col to e 2. Unl har dise 3. Cus eng rec mo rev	nceptual Renc ensure design less specified dware is inclu dware must b cuss with your stom structures gineered conn quired, reques difications/pr view by engine	accuracy ar otherwise, st uded. Groun be supplied. Estimator. s are design ections. If a t pricing fro ice changes eer.	nd comp andard d and For spe ed using stampe m your may bo	patibility wi d assembly wall attach cific require g standard d plan set i Estimator. E e required o	th site. nent ements s Design upon
. Col to e 2. Unl har dise 3. Cus eng rec mo rev	nceptual Renc ensure design less specified dware is inclu dware must b cuss with your stom structures gineered conn quired, reques difications/pr view by engine	accuracy ar otherwise, st uded. Groun be supplied. Estimator. s are design ections. If a t pricing fro ice changes eer.	nd comp andard d and For spe ed using stampe m your may bo	patibility wi d assembly wall attach cific require g standard d plan set i Estimator. E e required o	th site. nent ements s Design upon
. Col to e 2. Unl har dise 3. Cus eng rec mo rev	nceptual Renc ensure design less specified dware is inclu dware must b cuss with your stom structures gineered conn quired, reques difications/pr view by engine	accuracy ar otherwise, st uded. Groun be supplied. Estimator. s are design ections. If a t pricing fro ice changes eer.	nd comp andard d and For spe ed using stampe m your may bo	patibility wi d assembly wall attach cific require g standard d plan set i Estimator. E e required o	th site. nent ements s Design upon
. Col to e 2. Unl har dise 3. Cus eng rec mo rev	nceptual Rend ensure design less specified dware is inclu dware must b cuss with your stom structures gineered conn quired, reques difications/pr view by engine aterials may re	accuracy ar otherwise, st uded. Groun be supplied. Estimator. s are design ections. If a t pricing fro ice changes eer.	ad comp and ard d and For spe ed using stampe m your may bo fication	patibility wi d assembly wall attachr ecific require g standard d plan set i Estimator. E e required u at installati	th site. nent ements s Design upon
1. Coi to 6 2. Unl har diss 3. Cus enç rec mo rev 1. Ma	nceptual Rend ensure design less specified dware is inclu dware must b cuss with your stom structures gineered conn quired, reques difications/pr view by engine terials may re	accuracy ar otherwise, st uded. Groun be supplied. Estimator. s are design ections. If a t pricing fro ice changes eer. equire modif	ed comp and and For spe ed using stampe m your may be fication	atibility wi assembly wall attach ecific require g standard ed plan set i Estimator. E e required u at installati	th site. nent ements 's Design upon
1. Coi to 6 2. Unl har diss 3. Cus enç rec mo rev 1. Ma	nceptual Rend ensure design less specified rdware is inclu rdware must b cuss with your stom structures gineered conn juired, reques difications/pr riew by engine aterials may re	accuracy ar otherwise, st uded. Groun be supplied. Estimator. s are design ections. If a t pricing fro ice changes eer. equire modif	ed using stampe myour may be fication	atibility wi d assembly wall attach ecific require g standard d plan set i Estimator. E e required u at installati	th site. nent ements S Design upon on.
1. Coi to 6 2. Unl har diss 3. Cus enç rec mo rev 1. Ma	nceptual Renc ensure design less specified dware is inclu dware must b cuss with your stom structures gineered conn quired, reques difications/pr view by engine terials may re	accuracy ar otherwise, st uded. Groun be supplied. Estimator. s are design ections. If a t pricing fro ice changes eer. equire modif	ed comp randard For spe ed using stampe m your may bu fication	atibility wi assembly wall attach ecific require g standard ed plan set i Estimator. E e required u at installati	th site. nent ements S Design upon on.
1. Coi to 6 2. Unl har diss 3. Cus enç rec mo rev 1. Ma	nceptual Rend ensure design less specified rdware is inclu rdware must b cuss with your stom structures gineered conn guired, reques difications/pr riew by engine therials may re	accuracy ar otherwise, st uded. Groun be supplied. Estimator. s are design ections. If a t pricing fro ice changes eer. equire modif	ed using stampe m your may be fication	ABEL PPEARANCE G	th site. nent ements S Design upon on.
1. Coi to 6 2. Unl har diss 3. Cus enç rec mo rev 1. Ma	nceptual Rend ensure design less specified rdware is inclu- rdware must b cuss with your stom structures gineered conn juired, reques difications/pr riew by engine iterials may re ND ENGINEERING REVISION OPEN END	accuracy ar otherwise, st uded. Groun be supplied. Estimator. s are design ections. If a t pricing fro ice changes eer. equire modif	ed using stampe m your may be fication	atibility wi assembly wall attachr cific require g standard d plan set i Estimator. E e required u at installati ABEL PLICE PPEARANCE G LUE LOCTITE	th site. nent ements S Design upon on.
1. Coi to 6 2. Unl har diss 3. Cus enç rec mo rev 1. Ma	nceptual Rend ensure design less specified rdware is inclu- rdware must b cuss with your stom structures gineered conn juired, reques difications/pr riew by engine iterials may re ND ENGINEERING REVISION OPEN END	accuracy ar otherwise, st uded. Groun be supplied. Estimator. s are design ections. If a t pricing fro ice changes eer. equire modif	ed using stampe m your may be fication	atibility wi assembly wall attachr cific require g standard d plan set i Estimator. E e required u at installati ABEL PLICE PPEARANCE G LUE LOCTITE	th site. nent ements S Design upon on.



POST ATTACHMENT DETAIL - CONCRETE

POST ATTACHMENT DETAIL - DECK FRAMIN





		SHEET	REV			
	INFINITY CANOPY STRUCTURE	I OF I	1			
	CONCRETE AND DECK MOUNT DETAIL					
	INITIAL RELEASE SCALE	1 0				
	02/27/20 NOTES	1:3				
<u>1G</u>						
1" O.D. L						
UT						
EL						
r 1" O.D.						
EL						
SCREW						
ROVIDED)						
		-422-6679				
	INFINITY WWW.INFIN	NITYCANOPY	.com			
	CANUPY	c				